

Oil sep. NS3 with Bypass and ACD

class I

Oil sep. NS3 with Bypass and ACD

class II

| | | |
|------|-------|-------|
| H1 | 1090 | 1090 |
| H2 | 652 | 652 |
| H3 | 1020 | 1020 |
| H4 a | 811 | 811 |
| b | 911 | 911 |
| c | 1011 | 1011 |
| D1 | ̸1427 | ̸1427 |
| D2 | ̸200 | ̸200 |
| L1 | 3269 | 3269 |
| L2 | 1174 | 1174 |
| L3 | 1186 | 1186 |

Volume and capacity

| Nominal size | NS3 class I | NS3 class II |
|------------------------------|-------------|--------------|
| Effective volume | 2557 l | 2595 l |
| Oil storage capacity | 350 l | >350 l |
| Effective volume sludge trap | ~ | ~ |
| Max flow rate oil sep | 3 l/s | 3 l/s |
| Max flow rate bypass | 27 l/s | 27 l/s |

Part List

| | | |
|---|--------------------------------|------------|
| 1 | Inlet pipe | |
| 2 | Bypass | |
| 3 | Level sensors | (Optional) |
| 4 | Oil skimming pipe ̸160 | |
| 5 | Maintenance shaft | |
| 6 | Filter blocks | |
| 7 | Automatic closure device (ACD) | (Optional) |
| 8 | Outlet pipe | |

| | |
|-------|-------|
| REV.5 | REV.6 |
| REV.3 | REV.4 |
| REV.1 | REV.2 |


Status:



BELONGS TO DWG

AMERICAN PROJECTION

PART OF DWG



NAME : Oil separator NS3 with bypass

DATE : 1-12-2009

SCALE : UNITS MM

DRAWN : M. Schouten

PIPELIFE CORPORATE R&D, FLEVOLAAN 7 1601 MA ENKHUIZEN, THE NETHERLANDS

DWG NO : 046-011367 A4